

# Levity Agave High Water

Sample ID: 2601NBL0133.0413

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/21/2026

Completed: 01/29/2026

Expires: 01/29/2027

External Lot ID:

Batch#: LEV012026AW1

Client

Riverside Collective

Lic. # USDA\_37\_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com



## Summary

Test	Date Tested	Result
Cannabinoids	01/21/2026	Complete
Residual Solvents	01/22/2026	Complete
Microbials	01/22/2026	Complete
Mycotoxins	01/28/2026	Complete
Pesticides	01/28/2026	Complete
Heavy Metals	01/28/2026	Complete
Foreign Matter	01/21/2026	Not Detected

## Cannabinoids

Complete

<b>47.725 mg/unit</b> Total THC	<b>0.0063%</b> Δ9-THC	<b>ND</b> Total CBD	<b>51.570 mg/unit</b> Total Cannabinoids
------------------------------------	--------------------------	------------------------	---

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	1.9069	2.860	ND	ND	ND
9R-HHC	1.9069	2.860	ND	ND	ND
(6aR,9S)-d10-THC	1.9069	2.860	ND	ND	ND
9S-HHC	1.9069	2.860	ND	ND	ND
CBC	1.9069	2.860	ND	ND	ND
CBCa	1.9069	2.860	ND	ND	ND
CBD	1.9069	2.860	ND	ND	ND
CBDa	1.9069	2.860	ND	ND	ND
CBDV	1.9069	2.860	ND	ND	ND
CBDVa	1.9069	2.860	ND	ND	ND
CBG	1.9069	2.860	ND	ND	ND
CBGa	1.9069	2.860	ND	ND	ND
CBN	1.9069	2.860	3.844	0.00513	0.001
CBNa	1.9069	2.860	ND	ND	ND
Δ8-THC	1.9069	2.860	ND	ND	ND
Δ9-THC	1.9069	2.860	47.725	0.06363	0.006
THCa	1.9069	2.860	ND	ND	ND
THCp	1.9069	2.860	ND	ND	ND
THCV	1.9069	2.860	ND	ND	ND
THCVa	1.9069	2.860	ND	ND	ND
<b>Total THC</b>			<b>47.725</b>	<b>0.06363</b>	<b>0.006</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>51.570</b>	<b>0.06876</b>	<b>0.007</b>

Date Tested: 01/21/2026

Density: 1 mL = 1.017 g, Unit Mass: 762.750 g, 1 Unit = 750 mL

Testing Method: HPLC, CON-P-3000

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/29/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





# Levity Agave High Water

Sample ID: 2601NBL0133.0413

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/21/2026

Completed: 01/29/2026

Expires: 01/29/2027

External Lot ID:

Batch#: LEV012026AW1

Client

Riverside Collective

Lic. # USDA\_37\_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com

## Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.096	0.028		ND	Tested	Hexythiazox	0.093	0.028		ND	Tested
Acephate	0.093	0.028		ND	Tested	Imazalil	0.093	0.028		ND	Tested
Acequinocyl	0.093	0.028		ND	Tested	Imidacloprid	0.093	0.028		ND	Tested
Acetamiprid	0.093	0.028		ND	Tested	Kresoxim Methyl	0.093	0.028		ND	Tested
Aldicarb	0.093	0.028		ND	Tested	Malathion	0.093	0.028		ND	Tested
Azoxystrobin	0.093	0.028		ND	Tested	Metalaxyl	0.093	0.028		ND	Tested
Bifenazate	0.093	0.028		ND	Tested	Methiocarb	0.093	0.028		ND	Tested
Bifenthrin	0.093	0.028		ND	Tested	Methomyl	0.093	0.028		ND	Tested
Boscalid	0.093	0.028		ND	Tested	Mevinphos	0.093	0.028		ND	Tested
Captan	0.648	0.194		ND	Tested	Myclobutanil	0.093	0.028		ND	Tested
Carbaryl	0.093	0.028		ND	Tested	Naled	0.231	0.070		ND	Tested
Carbofuran	0.093	0.028		ND	Tested	Oxamyl	0.093	0.028		ND	Tested
Chlorantraniliprole	0.093	0.028		ND	Tested	Pacllobutrazol	0.093	0.028		ND	Tested
Chlorfenapyr	0.074	0.028		ND	Tested	Methyl Parathion	0.074	0.028		ND	Tested
Chlormequat	0.093	0.028		ND	Tested	Pentachloronitrobenzene	0.074	0.028		ND	Tested
Chlorpyrifos	0.093	0.028		ND	Tested	Permethrins	0.093	0.028		ND	Tested
Clofentezine	0.093	0.028		ND	Tested	Phosmet	0.093	0.028		ND	Tested
Coumaphos	0.093	0.028		ND	Tested	Piperonyl Butoxide	0.093	0.028		ND	Tested
Cyfluthrin	0.463	0.139		ND	Tested	Prallethrin	0.093	0.028		ND	Tested
Cypermethrin	0.463	0.139		ND	Tested	Propiconazole	0.093	0.028		ND	Tested
Daminozide	0.926	0.278		ND	Tested	Propoxur	0.093	0.028		ND	Tested
Diazinon	0.093	0.028		ND	Tested	Pyrethrins	0.463	0.139		ND	Tested
Dichlorvos	0.046	0.015		ND	Tested	Pyridaben	0.093	0.028		ND	Tested
Dimethoate	0.093	0.028		ND	Tested	Spinetoram	0.093	0.028		ND	Tested
Ethoprophos	0.093	0.028		ND	Tested	Spinosad	0.094	0.028		ND	Tested
Etofenprox	0.093	0.028		ND	Tested	Spiromesifen	0.093	0.028		ND	Tested
Etoxazole	0.093	0.028		ND	Tested	Spirotetramat	0.093	0.028		ND	Tested
Fenhexamid	0.093	0.028		ND	Tested	Spiroxamine	0.093	0.028		ND	Tested
Fenoxycarb	0.093	0.028		ND	Tested	Tebuconazole	0.093	0.028		ND	Tested
Fenpyroximate	0.093	0.028		ND	Tested	Thiacloprid	0.093	0.028		ND	Tested
Fipronil	0.093	0.028		ND	Tested	Thiamethoxam	0.093	0.028		ND	Tested
Fonicamid	0.093	0.028		ND	Tested	Trifloxystrobin	0.093	0.028		ND	Tested
Fludioxonil	0.093	0.028		ND	Tested						

Date Tested: 01/28/2026  
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/29/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Levity Agave High Water

Sample ID: 2601NBL0133.0413

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/21/2026

Completed: 01/29/2026

Expires: 01/29/2027

External Lot ID:

Batch#: LEV012026AW1

Client

Riverside Collective

Lic. # USDA\_37\_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com

### Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	40.000	ND	Tested
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	10	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/22/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

### Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 01/28/2026

Testing Method: LC/MS/MS, CON-P-5000

### Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.094		ND	Tested
Cadmium	0.047	0.094		ND	Tested
Lead	0.047	0.094		ND	Tested
Mercury	0.047	0.094		ND	Tested
Palladium	0.047	0.236		ND	Tested
Selenium	0.047	0.094		ND	Tested

Date Tested: 01/28/2026

Testing Method: ICP/MS, CON-P-7000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/29/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Levity Agave High Water

Sample ID: 2601NBL0133.0413

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/21/2026

Completed: 01/29/2026

Expires: 01/29/2027

External Lot ID:

Batch#: LEV012026AW1

Client

Riverside Collective

Lic. # USDA\_37\_0831

3108 Riverside Drive Chattanooga, TN 37406

(423) 305-8532 braden@riversidecanning.com

### Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	81.522	271.739		ND	Tested
Benzene	0.326	1.087		ND	Tested
n-Butane	75.000	250.000		ND	Tested
Isobutane	75.000	250.000		ND	Tested
Ethanol	81.522	271.739		1197.656	Tested
Ethyl Acetate	81.522	271.739		ND	Tested
Heptane	81.522	271.739		ND	Tested
n-Hexane	1.630	5.435		ND	Tested
2,2-Dimethylbutane	1.630	5.435		ND	Tested
3-Methylpentane	1.630	5.435		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.261	10.870		ND	Tested
Methanol	32.609	108.696		ND	Tested
Isopentane	75.000	250.000		ND	Tested
n-Pentane	32.609	108.696		ND	Tested
Neopentane	75.000	250.000		ND	Tested
2-Propanol	81.522	271.739		ND	Tested
Propane	326.087	1086.957		ND	Tested
Toluene	0.163	0.543		ND	Tested
Ethylbenzene	0.163	0.543		ND	Tested
m/p-Xylene	0.163	0.543		ND	Tested
o-Xylene	0.163	0.543		ND	Tested

Date Tested: 01/22/2026  
Testing Method: HS-GC/MS, CON-P-8000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/29/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

